

Our Swabsticks and Maxi Swabsticks offer continued antimicrobial activity for up to 7 days² and feature a low-profile applicator to help staff with more precise application to better reduce preventable infection rates.








Prevantics antiseptics are available in a variety of convenient, ready to use applicators: Swab, Swabstick, Compact Swabstick, and Maxi Swabstick.

Prevantics Applicators

- + No glass to break.
- + Pre-saturated.
- + Easy to open, easy to use.
- + Swab: Familiar prep pad design.
- + Swabsticks: Unique 2-sided applicator for interdigital area and skin folds.





	REORDER NO.	CASE PACK	CASE WGT	CASE CUBE	PALLET TI/HI	TREATMENT AREA COVERED
Prevantics® Skin Antiseptics						
Swab 1.0 mL Preinjection indication	B10800	100/box, 10 boxes/case	4.30 lbs	0.27 ft	21/7	2.5 in x 2.5 in (6 cm x 6 cm)
Swabstick 1.6 mL Preinjection and preoperative indications	S40750	50/box, 10 boxes/case	7.30 lbs	0.98 ft	15/3	Dry Site: 4 in x 4 in (10 cm x 10 cm) Moist Site: 3 in x 5 in (7.5 cm x 12.5 cm)
Maxi Swabstick 5.1 mL Preinjection and preoperative indications	S41950	30/box, 10 boxes/case	12.90 lbs	1.53 ft	5/5	Dry Site: 8.4 in x 8.4 in (21.3 cm x 21.3 cm) Moist Site: 8.4 in x 8.4 in (21.3 cm x 21.3 cm)
Prevantics® Skin Antiseptics for Kits	1					
Swab 1.0 mL Preinjection indication	B11400	3000/box, 1 boxes/case	18.93 lbs	1.02 ft	10/4	2.5 in x 2.5 in (6 cm x 6 cm)
Swabstick 1.6 mL Preinjection and preoperative indications	S32450	500/box, 1 boxes/case	5.80 lbs	1.02 ft	10/4	Dry Site: 4 in x 4 in (10 cm x 10 cm) Moist Site: 3 in x 5 in (7.5 cm x 12.5 cm)
Compact Swabstick 1.6 mL Preinjection and preoperative indications	S42850	500/box, 1 boxes/case	6.60 lbs	0.65 ft	10/8	Dry Site: 4 in x 4 in (10 cm x 10 cm) Moist Site: 3 in x 5 in (7.5 cm x 12.5 cm)
Maxi Swabstick 5.1 mL Preinjection and preoperative indications	S27350	300/box, 1 boxes/case	13.20 lbs	1.02 ft	10/4	Dry Site: 8.4 in x 8.4 in (21.3 cm x 21.3 cm) Moist Site: 8.4 in x 8.4 in (21.3 cm x 21.3 cm)

Learn more



 $^{^{*}}$ 3.15% chlorhexidine gluconate (w/v) / 70% isopropyl alcohol (v/v)

© 2025 PDI UPDATE 0125 PDI04238618

¹Central line-associated bloodstream infections.

²Contral line-associated bloodstream infections.

²D14 Prevantics Clinical Compendium: https://pdihc.com/resource/prevantics-skin-antisepsis-clinical-compendium-copy. ³PDI Study Microbac 735-132 July 3, 2014



^{**}Swabstick & Maxi Swabstick dry sites only.